




Pajak elektrischer




Anschluss




Verfügbare Abmessungen




923 x 431
↑ ↓ ← →




923 x 531




923 x 631




1323 x 431




1323 x 531




1323 x 631



1723 x 431
↑ ↓ ← →



1723 x 531




1723 x 631

Technische Daten

A ↕ [mm]	B ↔ [mm]	 [W]	D [mm]	E [mm]	F [mm]	 [dm³]	 [kg]
923	431	300	400	505	196,5	2,07	10,56
923	531	400	500	505	196,5	2,14	10,98
923	631	400	600	505	196,5	2,40	11,93
1323	431	400	400	852	196,5	2,64	12,10
1323	531	400	500	852	196,5	2,71	12,57
1323	631	600	600	852	196,5	2,96	13,48
1723	431	400	400	1162	196,5	3,20	13,66
1723	531	600	500	1162	196,5	3,26	14,12
1723	631	600	600	1162	196,5	3,52	15,07

Technisches Schema



A – Höhe B – Breite C1-C5 – Abstand der Anschlüsse D – Abstand der Konsolen in horizontaler Richtung
E – Abstand der Konsolen in vertikaler Richtung F – Abstand der Achse der unteren Konsole zur Unterkante des Verteilers

Collecteur :

