


# Pajak




# Pajak


## Verfügbare Abmessungen:




1000 x 431  
↕ ↔




1000 x 531




1000 x 631




1400 x 431




1400 x 531




1400 x 631



1800 x 431  
↕ ↔



1800 x 531



1800 x 631


## Technische Daten

Arbeitsdruck: 1000 kPa


Maximale Arbeitstemperatur: 95°C

| A<br>↓ | B<br>↔ | C2<br>[mm] | 75/65 20°C<br>[W] | 55/45 20°C<br>[W] | Puissance<br>[W] | D<br>[mm] | E<br>[mm] | F<br>[mm] | Capacité<br>[dm³] | Poids<br>[kg] |
|--------|--------|------------|-------------------|-------------------|------------------|-----------|-----------|-----------|-------------------|---------------|
| 1000   | 431    | 400        | 300               | 165               | 300              | 400       | 505       | 196,5     | 2,13              | 9,0           |
| 1000   | 531    | 500        | 339               | 184               | 400              | 500       | 505       | 196,5     | 2,20              | 9,3           |
| 1000   | 631    | 600        | 380               | 205               | 400              | 600       | 505       | 196,5     | 2,46              | 10,1          |
| 1400   | 431    | 400        | 368               | 199               | 400              | 400       | 852       | 196,5     | 2,70              | 10,0          |
| 1400   | 531    | 500        | 424               | 227               | 400              | 500       | 852       | 196,5     | 2,77              | 10,4          |
| 1400   | 631    | 600        | 480               | 256               | 600              | 600       | 852       | 196,5     | 3,02              | 11,1          |
| 1800   | 431    | 400        | 437               | 234               | 400              | 400       | 1162      | 196,5     | 3,26              | 11,1          |
| 1800   | 531    | 500        | 510               | 272               | 600              | 500       | 1162      | 196,5     | 3,32              | 11,5          |
| 1800   | 631    | 600        | 582               | 310               | 600              | 600       | 1162      | 196,5     | 3,58              | 12,2          |

## Anschlussstypen:



## Technische Zeichnung



A – Höhe B – Breite C1-C5 – Abstand zwischen den Anschlüssen D – horizontaler Abstand zwischen den Befestigungen E – vertikaler Abstand zwischen den Geräten  
F – Abstand zwischen der unteren Achse der Befestigungen und der Unterkante des Kollektors

Profil :

