


PLATEFORME D'ACCÈS - ESGA

Référence	Nombre de marches	Dimensions (m)					Poids
		Α	В	С	D	Е	(Kg)
ES302GA ³⁷	2	0.40	1.40	2.40	0.75	0.85	18
ES303GA ³⁷	3	0.60	1.60	2.60	0.75	1.05	19
ES304GA	4	0.80	1.80	2.80	0.82	1.25	21
ES305GA	5	1.00	2.00	3.00	0.82	1.45	24
ES306GA	6	1.20	2.20	3.20	0.82	1.65	27
ES307GA	7	1.40	2.40	3.40	0.82	1.85	29
ES308GA	8	1.60	2.60	3.60	0.95	2.05	32
ES309GA	9	1.80	2.80	3.80	0.95	2.25	35
ES310GA	10	2.00	3.00	4.00	0.95	2.45	37



37 Plateforme roulante livrée sans rampe (car inutile): le garde-corps est directement accessible.








Autres dimensions possible sur demande: 0.56 x 0.36m ou 0.40 x 0.36m

- Plateforme roulante en aluminium conforme au décret 2004-924 sous réserve du choix judicieux des protections.
- Profondeur des marches : 16cm Inclinaison de l'escalier : 50° Nombre de marches plateforme comprise.

Accessoires:



APE: 524M - Siret: 47928612200011