


Retro



COULEUR
AU CHOIX



Retro

Raccordements


Chauffage central




Électrique




Dimensions disponibles




430 x 504
↓ ↔



800 x 504



1170 x 504






1540 x 504

Retro


Données techniques

Pression du travail : 1,0 MPa Température maximale de travail : 95°C

A ↕	B ↔	C2 [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	D [mm]	E [mm]	F [mm]	 [dm³]	 [kg]	Code produit	Code de configuration p.4
Peinture epoxy												
430	504	450	120	61	120	450	370	30	1,05	4,50	WGRE1043050	
800	504	450	210	107	200	450	740	30	1,88	7,30	WGRE1080050	
1170	504	450	300	153	300	450	1110	30	2,71	10,20	WGRE1117050	
1540	504	450	390	199	400	450	1480	30	3,54	13,00	WGRE1154050	
Revêtement galvanique												
430	504	450	84	43	120	450	370	30	1,05	4,50	WGRE1043050	
800	504	450	147	75	120	450	740	30	1,88	7,30	WGRE1080050	
1170	504	450	210	107	200	450	1110	30	2,71	10,20	WGRE1117050	
1540	504	450	273	139	300	450	1480	30	3,54	13,00	WGRE1154050	

Retro

SX



A – hauteur B – largeur C1-C5 – écartement des raccordements D – écartement des consoles en horizontal E – écartement des consoles en vertical F – distance de l'axe de la console inférieure au bord inférieur du collecteur

Collecteur :

Profil :

