


Alex



Colore : Soft Green Apple

Alex

Predisposizioni

Ad acqua calda




Elettrico



Misto






Dimensioni disponibili




Alex

Informazioni tecniche :

Pressione del lavoro : 1.0 MPa Temperatura massima di lavoro : 95°C

| A ↑ | B ↔ | C1 [mm] | C2 [mm] | 75 65 20°C [W] | 55 45 20°C [W] |  [W] | D [mm] | E [mm] | F [mm] |  [dm ³] |  [kg] |
|--------|--------|------------|------------|-------------------|-------------------|--|-----------|-----------|-----------|---|---|
| 540 | 300 | 50 | 270 | 180 | 99 | 200 | 270 | 355 | 94 | 1,75 | 3,57 |
| 540 | 400 | 50 | 370 | 238 | 129 | 200 | 370 | 355 | 94 | 2,04 | 4,21 |
| 540 | 500 | 50 | 470 | 299 | 161 | 300 | 470 | 355 | 94 | 2,32 | 4,85 |
| 540 | 600 | 50 | 570 | 355 | 190 | 400 | 570 | 355 | 94 | 2,60 | 5,49 |
| 760 | 300 | 50 | 270 | 257 | 137 | 300 | 270 | 575 | 94 | 2,46 | 4,95 |
| 760 | 400 | 50 | 370 | 330 | 177 | 300 | 370 | 575 | 94 | 2,85 | 5,85 |
| 760 | 500 | 50 | 470 | 412 | 220 | 400 | 470 | 575 | 94 | 3,25 | 6,74 |
| 760 | 600 | 50 | 570 | 481 | 257 | 600 | 570 | 575 | 94 | 3,65 | 7,64 |
| 1140 | 300 | 50 | 270 | 362 | 194 | 400 | 270 | 955 | 94 | 3,78 | 7,56 |
| 1140 | 400 | 50 | 370 | 479 | 257 | 400 | 370 | 955 | 94 | 4,41 | 8,97 |
| 1140 | 500 | 50 | 470 | 591 | 313 | 600 | 470 | 955 | 94 | 5,03 | 10,38 |
| 1140 | 600 | 50 | 570 | 711 | 380 | 800 | 570 | 955 | 94 | 5,65 | 11,79 |
| 1580 | 500 | 50 | 470 | 793 | 425 | 800 | 470 | 1395 | 94 | 6,90 | 14,17 |
| 1580 | 600 | 50 | 570 | 949 | 508 | 1000 | 570 | 1395 | 94 | 7,75 | 16,09 |
| 1580 | 700 | 50 | 670 | 1104 | 591 | 1000 | 670 | 1395 | 94 | 8,60 | 18,01 |
| 1580 | 800 | 50 | 770 | 1253 | 670 | 1200 | 770 | 1395 | 94 | 9,45 | 19,93 |

Alex



A - Altezza / B - Larghezza / C1-C5 - Distanza tra i raccordi / D - Interasse tra i tubi verticali / E - Distanza tra i punti di fissaggio / F - Distanza dell'asse del punto di fissaggio inferiore al bordo inferiore dello scaldasalviette

Collettore : **Profilo :**

