


Retro Doré









Retro

Raccordements

Eau Chaude



Dimensions disponibles:











Retro

Données techniques :

D . I	1 400010	T / 1		1 0500
Pression du	travail: 1000 kPa	Lemperature	· maximale de	travail: 95°C.

A ↓ [mm]	$B \leftrightarrow \\ \text{[mm]}$	C2 [mm]	75 65 20°c [w]	55 45 20°c [W]	[W]	D [mm]	E [mm]	F [mm]	[dm³]	[kg]
Peinture	Peinture epoxy									
430	504	450	115	63	100	450	370	30	1,05	5,57
800	504	450	210	114	200	450	740	30	1,88	8,49
1170	504	450	308	165	300	450	1110	30	2,71	11,40
1540	504	450	405	216	400	450	1480	30	3,54	14,32
Revêtement galvanique										
430	504	450	81	44	100	450	370	30	1,05	5,48
800	504	450	147	80	100	450	740	30	1,88	8,33
1170	504	450	216	116	200	450	1110	30	2,71	11,19
1540	504	450	284	151	300	450	1480	30	3,54	14,05



Ensemble de réglage angulaire STAR



ROBINETTERIE INCLUSE

- 2 vannes de réglage angulaire doré brillante minimaliste
- 2 raccords acier 24x19 satiné

Données techniques :

Taille	Couleur
GZ 1/2"-GZ 24-19	Chrome
GZ 1/2"-GZ 24-19	Or

