




Nemo

SILVER MATT // 500 — 915 // Angled thermostatic valve + “Slim” thermostatic head // Cutoff valve


MODERN








Standard connections:



Available on demand:




Sizes available:




| A | B | C | C' | C'' | | 75/65/20 | 55/45/20 | | D | E | F | | |
|------|------|------|------|------|--------|----------|----------|-----|------|------|------|-------|------|
| [mm] | [mm] | [mm] | [mm] | [mm] | | [W] | [W] | [W] | [mm] | [mm] | [mm] | [dm²] | [Kg] |
| 300 | 645 | 50 | 260 | 645 | RAL+TT | 330 | 169 | - | 495 | 270 | 15 | 2,4 | 8,4 |
| 300 | 915 | 50 | 260 | 915 | RAL+TT | 471 | 240 | - | 765 | 270 | 15 | 3,5 | 12,0 |
| 300 | 1185 | 50 | 260 | 1185 | RAL+TT | 612 | 312 | - | 1035 | 270 | 15 | 4,5 | 15,6 |
| 300 | 1455 | 50 | 260 | 1455 | RAL+TT | 752 | 384 | - | 1305 | 270 | 15 | 5,5 | 19,1 |
| 300 | 1725 | 50 | 260 | 1725 | RAL+TT | 893 | 456 | - | 1575 | 270 | 15 | 6,5 | 22,7 |
| 530 | 375 | 50 | 490 | 375 | RAL+TT | 294 | 150 | - | 225 | 500 | 15 | 2,1 | 8,0 |
| 530 | 645 | 50 | 490 | 645 | RAL+TT | 512 | 261 | - | 495 | 500 | 15 | 3,6 | 14,0 |
| 530 | 915 | 50 | 490 | 915 | RAL+TT | 731 | 373 | - | 765 | 500 | 15 | 5,2 | 20,0 |
| 530 | 1185 | 50 | 490 | 1185 | RAL+TT | 949 | 484 | - | 1035 | 500 | 15 | 6,7 | 25,9 |
| 530 | 1455 | 50 | 490 | 1455 | RAL+TT | 1168 | 596 | - | 1305 | 500 | 15 | 8,3 | 31,9 |
| 530 | 1725 | 50 | 490 | 1725 | RAL+TT | 1387 | 708 | - | 1575 | 500 | 15 | 9,8 | 37,9 |


P2




L6



P3



YL



YP

